











CONNECTION BASE





PRODUCT DESCRIPTION

Chamber base have sockets type Eurosocket for connection with smooth-wall pipe or Pragma type for structural pipes Pragma. For Pragma pipe connection with socket type Eurosocket Pragma-PVC adaptor or Pragma Ecc Adaptor should be used. For smoothwall pipe connection with socket Pragma type stabilize click ring and sealing ring should be used.

Thumbnail	SAP Index	SAP material description	Base type	Diameter	Outlet type	BUoM
	3496102402	OS Base 600 0°/180°/270° dim160	Pass-through with additional inlets	160 mm	Smooth pipe	EA
	3496102487	OS Base 600 0°/180°/270° dim160 DIN Lock	Pass-through with additional inlets	160 mm	Smooth pipe	EA
	3496102400	OS Base 600 0°/90°/180° dim160	Pass-through with additional inlets	160 mm	Smooth pipe	EA
	3496102486	OS Base 600 0°/90°/180° dim160 DIN Lock	Pass-through with additional inlets	160 mm	Smooth pipe	EA
	3496101304	OS Base 600 0°/135°/180°/225° dim160	Collective	160 mm	Smooth pipe	EA
	3496101308	OS Base 600 0°/90°/180°/270° dim160	Collective	160 mm	Smooth pipe	EA

Thumbnail	SAP Index	SAP material description	Base type	Diameter	Outlet type	BUoM
	3496101447	OS Base 600 0°/135°/180°/225° dim160 DIN Lock	Collective	160 mm	Smooth pipe	EA
	3496101450	OS Base 600 0°/90°/180°/270° dim160 DIN Lock	Collective	160 mm	Smooth pipe	EA
	3496101310	OS Base 600 0°/180°/270° dim200	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496101312	OS Base 600 0°/90°/180° dim200	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496101441	OS Base 600 0°/90°/180° dim200 DIN Lock	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496101445	OS Base 600 0°/180°/270° dim200 DIN Lock	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496101309	OS Base 600 0°/135°/180°/225° dim200	Collective	200 mm	Smooth pipe	EA
	3496101311	OS Base 600 0°/90°/180°/270° dim200	Collective	200 mm	Smooth pipe	EA
	3496101443	OS Base 600 0°/135°/180°/225° dim200 DIN Lock	Collective	200 mm	Smooth pipe	EA
	3496101442	OS Base 600 0°/90°/180°/270° dim200 DIN Lock	Collective	200 mm	Smooth pipe	EA

Thumbnail	SAP Index	SAP material description	Base type	Diameter	Outlet type	BUoM
	3496102407	OS Base 600 0°/90°/180°/270° dim250	Collective	250 mm	Smooth pipe	EA
	3496102489	OS Base 600 0°/90°/180°/270° dim250 DIN Lock	Collective	250 mm	Smooth pipe	EA
	3496102409	OS Base 600 0°/90°/180°/270° dim315	Collective	315 mm	Smooth pipe	EA
	3496102490	OS Base 600 0°/90°/180°/270° dim315 DIN Lock	Collective	315 mm	Smooth pipe	EA