
















CONNECTION BASE



PRODUCT DESCRIPTION

Chamber base have sockets type Eurosocket for connection with smooth-wall pipe or Pragma type for structural pipes Pragma. For Pragma pipe connection with socket type Eurosocket Pragma-PVC adaptor or Pragma Ecc Adaptor should be used. For smoothwall pipe connection with socket Pragma type stabilize click ring and sealing ring should be used.

Thumbnail	SAP Index	SAP material description	Base type	Diameter	Outlet type	BUoM
	3496100634	Base ST 0°/180°/225° dim160	Pass-through with additional inlets	160 mm	Smooth pipe	EA
	3496100632	Base ST 0°/135°/180° dim160	Pass-through with additional inlets	160 mm	Smooth pipe	EA
	3496100873	Base ST 630/160 L 160 45°	Pass-through with additional inlets	160 mm	Pragma pipe	EA
	3496100871	Base ST 630/160 R 160 45°	Pass-through with additional inlets	160 mm	Pragma pipe	EA
	3496102423	OS Base 630 0°/180°/270° dim160	Pass-through with additional inlets	160 mm	Smooth pipe	EA
	3496102421	OS Base 630 0°/90°/180° dim160	Pass-through with additional inlets	160 mm	Smooth pipe	EA

Thumbnail	SAP Index	SAP material description	Base type	Diameter	Outlet type	BUoM
	3496100635	Bast ST 0°/180°/225° dim200	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496100633	Base ST 0°/135°/180° dim200	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496100657	Base ST 630/200 L 200 45°	Pass-through with additional inlets	200 mm	Pragma pipe	EA
	3496100656	Base ST 630/200 R 200 45°	Pass-through with additional inlets	200 mm	Pragma pipe	EA
	3496101237	OS Base 630 0°/180°/270° dim200	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496101239	OS Base 630 0°/90°/180° dim200	Pass-through with additional inlets	200 mm	Smooth pipe	EA
	3496101235	OS Base 630 0°/135°/180°/225° dim160	Collective	160 mm	Smooth pipe	EA
	3496101236	OS Base 630 0°/90°/180°/270° dim160	Collective	160 mm	Smooth pipe	EA
	3496100684	Base ST 0°/90°/180°/225° dim160	Collective	160 mm	Smooth pipe	EA
	3496100686	BaseST 0°/135°/180°/270° dim160	Collective	160 mm	Smooth pipe	EA

Thumbnail	SAP Index	SAP material description	Base type	Diameter	Outlet type	BUoM
	3496101271	OS Base 630 0°/135°/180°/225° dim200	Collective	200 mm	Smooth pipe	EA
	3496101238	OS Base 630 0°/90°/180°/270° dim200	Collective	200 mm	Smooth pipe	EA
	3496100685	Base ST 0°/90°/180°/225° dim200	Collective	200 mm	Smooth pipe	EA
	3496100687	BaseST 0°/135°/180°/270° dim200	Collective	200 mm	Smooth pipe	EA
	3496100694	Full Combi Shell 0°/135°/180°/225° dim250	Collective	250 mm	Pragma pipe	EA
	3496102428	OS Base 630 0°/90°/180°/270° dim250	Collective	250 mm	Smooth pipe	EA
	3496102430	OS Base 630 0°/90°/180°/270° dim315	Collective	315 mm	Smooth pipe	EA